Patient Instructions

POSTOPERATIVE INSTRUCTIONS FOR PATIENTS UNDERGOING: SURGERY OF THE EAR

- 1. Do not blow your nose for three weeks following surgery. If you sneeze or cough do so with your mouth open.
- 2. DO NOT USE CPAP or BIPAP x 4 weeks following the operation. DO NOT USE Q-tips® or stick anything in the operated ear.
- 3. Avoid any heavy lifting (over 10 lbs.), straining or bending for three weeks following surgery.
- 4. Keep your head elevated as much as possible x 48 hours. Sleep and rest on two to three pillows if possible.
- 5. Do not get water in your ear for 3 weeks after the operation. If showering or washing your hair place a piece of cotton coated in Vaseline in the ear canal to seal it. If there is a separate incision keep this dry x 48 hours. No swimming for 3 weeks after the operation.
- 6. If you wear glasses either remove the arm on the operated side or make certain that it does not rest on the incision behind your ear for one week.
- 7. Beginning one day after surgery try to leave the cotton out of our ear as much as possible unless there is significant drainage.
- 8. Some drainage from your ear canal may occur after surgery. If there is a separate incision some drainage may occur from this area also. If the drainage is profuse or develops a foul odor, please call.
- Popping sounds, a plugged sensation, ringing or fluctuating hearing may be noticed in the ear during the healing.
- 10. Avoid travel by air for 3 weeks following surgery.
- 11. If you should notice any swelling, redness or excessive pain please call.
- 12. Some dizziness may occur after surgery. If it becomes severe or is associated with nausea or vomiting, please call.
- 13. Please call The Balance & Ear Center, Inc. to make an appointment to be seen 7-10 days after the time of your surgery unless stated otherwise by your physician.